

Bepotastine Besilate INN 1.5% Sterile Ophthalmic Solution

Composition:

Bepotas Sterile Ophthalmic Solution: Each ml contains Bepotastine Besilate INN 15 mg.

Preservative: Sodium Perborate BP 0.01%.

Pharmacology:

Bepotastine is a direct H₁-receptor antagonist and an inhibitor of the release of histamine from mast cells.

Indications:

Bepotas Sterile Ophthalmic Solution is indicated for the treatment of itching associated with signs and symptoms of allergic conjunctivitis.

Dosage & administration:

Instill 1 drop into the affected eye(s) twice a day.

Contraindications:

None

Side effects:

Reported side effect is a mild taste in the mouth. Other side effects are eye irritation, headache, and nasopharyngitis.

Precautions:

- Before using Bepotastine, tell your doctor if you are allergic to it.
- Bepotastine should not be used to treat contact lens-related irritation.
- Remove contact lenses prior to instillation of Bepotastine.

Use in special group:

Use in pregnancy:

Pregnancy category C. There are no adequate and well-controlled studies in pregnant women. Bepotastine Besilate 1.5% Ophthalmic Solution should be used during pregnancy only if the potential benefit justifies the potential risk to the fetus.

Use in lactation:

It is not known whether Bepotastine Besilate is excreted in human milk. So, caution should be exercised when Bepotastine Besilate 1.5% Ophthalmic Solution is administered to a nursing woman.

Use in children:

Safety and effectiveness in pediatric patients under 2 years of age have not been established.

Use in elderly patients: No overall difference in safety or effectiveness has been observed between elderly and younger patients.

Storage:

- Store in a cool and dry place, protect from light.
- Do not use longer than one month after first opening.
- Keep out of the reach of children.

Packing:

Bepotas Sterile Ophthalmic Solution: Each plastic dropper bottle contains 5 ml/10 ml Sterile Ophthalmic Solution.



