Ginkgo-B 60

Ginkgo biloba

COMPOSITION

Ginkgo-B 60 Capsule: Each capsule contains Ginkgo biloba extract 60 mg.

PHARMACOLOGY

The extract of the Ginkgo leaf contains flavonoid glycosides and terpenoids (ginkgolides, bilobalides) which inhibits binding of platelet activating factor (PAF) to platelets resulting in inhibited platelet aggregation and increased blood fluidity; reduces thrombosis, improvements in cognition, working memory, short-term visual memory in dementia, short-term memory in cerebral insufficiency, concentration and attention.

INDICATIONS

- Cerebral insufficiency Memory deficit, poor concentration, depression, memory loss
- · Peripheral vascular disease
- · Vertigo & Tinnitus (Ringing in the ear)

Other Uses

- · Protective action in hypoxia
- · Acute cochlear deafness
- · Sexual dysfunction associated with SSRI use

DOSAGE & ADMINISTRATION

Ginkgo-B 60: 1-2 capsules 2-3 times daily or as directed by the physician

Duration of administration: Cerebral insufficiency-at least 8 weeks, Peripheral vascular disease- at least 8 weeks, Vertigo & Tinnitus-at least 6-8 weeks.

CONTRA-INDICATION

Ginkgo biloba should not be used in any patient known to be allergic to it or any of its constituents.

WARNING & PRECAUTION

Consider discontinuing *Ginkgo biloba* prior to elective surgery as it may increase the risk of postoperative bleeding.

SIDE EFFECTS

Stomach or intestinal upset, headache or allergic skin reaction in rare cases.

USE IN PREGNANCY & LACTATION

No known restriction.

USE IN CHILDREN & ADOLESCENTS

In children under 12 years 120 mg dosage should not be used.

DRUG INTERACTION

Anticoagulants, antiplatelet agents, heparin and thrombolytic agents may increase the risk of bleeding complications.

OVERDOSE

May increase the bleeding time and the risk of spontaneous hemorrhage.

STORAGE

Store below 30°C & keep in dry place, away from direct light. Keep out of the reach of children.

PACKING

Ginkgo-B 60 Capsule: Each HDPE container contains 30 capsules.

